

Australian Government

Geoscience Australia

Certificate of Verification of a Reference Standard of a Position-Measurement in Accordance with Regulation 13 of the National Measurement Regulations 1999 and the National Measurement Act 1960

Name of Verifying Authority:

Name: Positioning Australia Branch Organisation: Geoscience Australia Address: Corner Jerrabomberra Ave and Hindmarsh Drive, Symonston ACT 2609 Australia Telephone: (02) 6249 9111 Email: dl-reg13@ga.gov.au

Client detail:

Name: Mr Philip Lam Organisation: Department of Customer Service, Spatial Services Address: Level 14 West, McKell BuildingHaymarket NSW 2000 Telephone: T (02) 8737 6331 M 0467 777 514 Email: philip.lam@customerservice.nsw.gov.au Date of request: 14 October 2024

Description and denomination of standard of measurement:

The measurement was undertaken using an antenna TRM115000.00 NONE (International GNSS Service antenna naming convention) with the serial number 1431179101 and refers to a point located 0.0016 m below the antenna reference point. The antenna is attached to a stainless steel mast on building via a stainless steel plate, threaded spigot. The station (4 character ID: CSNO) is located at Casino, New South Wales. The certificate was determined using data from 27 October 2024 to 02 November 2024 inclusive. Analysis was undertaken following the procedures detailed in Geoscience Australia's GPS Analysis Manual for the Verification of Position issue 2.10. The reference number of this certificate is CSNO02122024.

Permanent distinguishing marks:

Exempt under Regulation 16 (4)

Date of verification: 02 December 2024

Date of expiry of certificate: 02 December 2029



Value of standard of measurement:

Station (4 character ID): CSNO

South Latitude and its uncertainty of value:

 28° 51' 56.02856" \pm 0.00026" (0.008 m)

East Longitude and its uncertainty of value:

 153° 2' 51.27341" \pm 0.00026" (0.008 m)

Elevation above Ellipsoid and its uncertainty of value:

 $68.954~\pm$ 0.021 m

Geocentric Datum of Australia (GDA2020) coordinates referred to the GRS80 ellipsoid being in the ITRF2014 reference frame at the epoch 2020. The uncertainties are calculated in accordance with the principles of the ISO/IEC 98-3 Uncertainty of Measurement - Part 3: Guide to the Expression of Uncertainty in Measurement (2008), with an interval estimated to have a confidence level of 95% at the time of verification. The combined standard uncertainty was converted to an expanded uncertainty using a coverage factor, k, of 2. Measurement traceability is ensured against the recognised value standard for position of the Australian Fiducial Network.

Details of any relevant environmental or other influence factor(s) at the time of verification:

Uncertainty of the coordinates of the recognized-value standard of measurement of position (i.e. GDA2020); and Uncertainty due to instability of the GPS antenna mounting and modelling of the antenna phase centre variations.

Signature: 02 December 2024 Dr Guorong Hu Geoscience Australia approved signatory Positioning Australia Branch Geoscience Australia

Being a person, or a person representing a body, appointed as a verifying authority under Regulations 71 and 73 of the National Measurement Regulations 1999 in accordance with the National Measurement Act 1960, I hereby certify that the above standard is verified as a reference standard of measurement in accordance with the Regulations, by the above-named authority.