



**Land & Property
Information**

A division of the Department of Finance & Services

www.lpi.nsw.gov.au

Topography and Mapping Programs

LPI Digital Topographic Database

Feature Maintenance Directory

Version 3

October 2014

A decorative graphic in the bottom right corner consisting of overlapping, semi-transparent blue and white shapes that resemble stylized leaves or petals.

Documentation and Approvals

Version history

Date	Version No	Author	Description
23/12/2013	1	Leanne Mills	Document creation and compilation
10/09/2014	2	Lew Haley	Document Update
28/10/2014	3	Lew Haley	Document Update

Approval

Version No	Name	Role	Sign-off date
1	Lew Haley	Team Leader, Topography and Mapping	23/12/2013
2	Lew Haley	Team Leader, Topography and Mapping	10/09/2014
3	Lew Haley	Team Leader, Topography and Mapping	28/10/2014

Table of contents

Purpose	4
Features listed by Theme	5
Hydrography	5
Physiography	10
Transport	17
Cultural	26
Further information	56

Purpose

The purpose of this document is to provide a basic understanding of the content and currency of features in the Digital Topographic Database (DTDB). This document can be read in conjunction with the following:

- NSW Spatial Data Catalogue
- Topographic Data Dictionary
- DTDB Product Description
- DTDB Feature Reference Guide
- DTDB Capture Rules


There are four tiers of data in the topographic data model:

Tier 1: Theme

Tier 2: Feature Class

Tier 3: Class Subtype

Tier 4: Domain Value Name



Features listed by Theme

Hydrography

Hydrographic data consists of features whose primary characteristics relate to water or drainage networks. For detailed metadata see the [NSW Spatial Data Catalogue](#).

Barrier

Domain Value Name	Class Subtype	Feature Class
11: Barrier		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Bay Like

Domain Value Name	Class Subtype	Feature Class
1: Bay Like	1: Bay Like	Fuzzy Extent Water Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Bore

Domain Value Name	Class Subtype	Feature Class
1: Bore		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Canal - Drain

Domain Value Name	Class Subtype	Feature Class
2: Canal - Drain	2: Watercourse	Hydro Area
3: Canal - Drain	1: Watercourse Centreline	Hydro Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Spatially upgraded in 2010-11.

Connector

Domain Value Name	Class Subtype	Feature Class
2: Connector	2: Connector	Hydro Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Spatially upgraded in 2010-11.

Contracted Node

Domain Value Name	Class Subtype	Feature Class
8: Contracted Node		Ancillary Hydro Point

Captured as part of the 2010 – 2011 hydrographic data upgrade.

Dissipation Point

Domain Value Name	Class Subtype	Feature Class
7: Dissipation Point		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping.

Lock

Domain Value Name	Class Subtype	Feature Class
2: Lock		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Man Made Waterbody

Domain Value Name	Class Subtype	Feature Class
2: Man Made Waterbody	1: Waterbody Area	Hydro Area
	1: Waterbody Point	Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Spatially upgraded in 2010-11. Updated periodically from latest available imagery.

Mean High Water Mark

Domain Value Name	Class Subtype	Feature Class
1: Mean High Water Mark	1: Mean High Water Mark	Coastline

Captured from original 1970s to 2000 topographic mapping.

Named Watercourse

Domain Value Name	Class Subtype	Feature Class
Named Watercourse		Named Watercourse

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Spatially upgraded in 2010-11.

Natural Waterbody

Domain Value Name	Class Subtype	Feature Class
1: Natural Waterbody	1: Waterbody Area	Hydro Area
	1: Waterbody Point	Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Spatially upgraded in 2010-11.

Natural Watercourse

Domain Value Name	Class Subtype	Feature Class
1: Natural Watercourse	2: Watercourse	Hydro Area
	1: Watercourse Centreline	Hydro Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Spatially upgraded in 2010-11.

Race

Domain Value Name	Class Subtype	Feature Class
4: Race	1: Watercourse Centreline	Hydro Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Rapids

Domain Value Name	Class Subtype	Feature Class
3: Rapids		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Regulator

Domain Value Name	Class Subtype	Feature Class
10: Regulator		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

River Gauge

Domain Value Name	Class Subtype	Feature Class
12: River Gauge		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

River Like

Domain Value Name	Class Subtype	Feature Class
2: River Like	2: River Like	Fuzzy Extent Water Area
	2: River Like	Fuzzy Extent Water Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Sea Like

Domain Value Name	Class Subtype	Feature Class
3: Sea Like	3: Sea Like	Fuzzy Extent Water Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Sink

Domain Value Name	Class Subtype	Feature Class
13: Sink		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Spillway

Domain Value Name	Class Subtype	Feature Class
5: Spillway	1: Watercourse Centreline	Hydro Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Springs

Domain Value Name	Class Subtype	Feature Class
4: Spring		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Tidal Limit Marker

Domain Value Name	Class Subtype	Feature Class
5: Tidal Limit Marker		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping.

Tunnel-Siphon

Domain Value Name	Class Subtype	Feature Class
6: Tunnel-Siphon	1: Watercourse Centreline	Hydro Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Waterfall

Domain Value Name	Class Subtype	Feature Class
6: Waterfall		Ancillary Hydro Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Physiography

Physiographic data consists of features whose primary characteristics relate to land surface or land form. For detailed metadata see the [NSW Spatial Data Catalogue](#).

Ancillary Contour

Domain Value Name	Class Subtype	Feature Class
3: Ancillary Contour	3: Ancillary Contour	Contour

Captured from original 1970s to 2000 topographic mapping.

Beach

Domain Value Name	Class Subtype	Feature Class
2: Beach		Fuzzy Extent Line
2: Beach		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers. Updated 2013 from Surf Life Saving Association data.

Cave

Domain Value Name	Class Subtype	Feature Class
1: Cave	1: Cave	DLS Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Cliff Area

Domain Value Name	Class Subtype	Feature Class
11: Cliff Area	11: Cliff Area	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Cliff Top

Domain Value Name	Class Subtype	Feature Class
1: Cliff Top	1: Cliff Top	DLS Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Depression Contour

Domain Value Name	Class Subtype	Feature Class
2: Depression Contour	2: Depression Contour	Contour

Captured from original 1970s to 2000 topographic mapping.

Depression Spot Height

Domain Value Name	Class Subtype	Feature Class
2: Depression Spot Height	2: Depression Spot Height	Spot Height

Captured from original 1970s to 2000 topographic mapping.

Dune Like

Domain Value Name	Class Subtype	Feature Class
3: Dune Like		Fuzzy Extent Area
3: Dune Like		Fuzzy Extent Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Excavation Face

Domain Value Name	Class Subtype	Feature Class
3: Excavation Face	3: Excavation Face	DLS Line

Captured from original 1970s to 2000 topographic mapping.

Flat Like

Domain Value Name	Class Subtype	Feature Class
4: Flat Like		Fuzzy Extent Area
4: Flat Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Gap Like

Domain Value Name	Class Subtype	Feature Class
8: Gap Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

General Locality

Domain Value Name	Class Subtype	Feature Class
5: General Locality		Fuzzy Extent Line
5: General Locality		Fuzzy Extent Point

Captured from Geographic Names Register and DCDB Suburbs data.

General Place

Domain Value Name	Class Subtype	Feature Class
5: General Place		Fuzzy Extent Area

Captured from Geographic Names Register and DCDB Suburb data.

Headland Like

Domain Value Name	Class Subtype	Feature Class
6: Headland Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Intertidal Flat

Domain Value Name	Class Subtype	Feature Class
1: Intertidal Flat	1: Intertidal Flat	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Island Like

Domain Value Name	Class Subtype	Feature Class
7: Island Like		Fuzzy Extent Area
7: Island Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Land Subject to Inundation

Domain Value Name	Class Subtype	Feature Class
2: Land Subject to Inundation	2: Land Subject to Inundation	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Landcover Like

Domain Value Name	Class Subtype	Feature Class
9: Landcover Like		Fuzzy Extent Area
9: Landcover Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Levee

Domain Value Name	Class Subtype	Feature Class
4: Levee	4: Levee	DLS Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Mangrove

Domain Value Name	Class Subtype	Feature Class
3: Mangrove	3: Mangrove	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Mountain Like

Domain Value Name	Class Subtype	Feature Class
10: Mountain Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Peninsula Like

Domain Value Name	Class Subtype	Feature Class
11: Peninsula Like		Fuzzy Extent Area
11: Peninsula Like		Fuzzy Extent Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Pinnacle

Domain Value Name	Class Subtype	Feature Class
3: Pinnacle	3: Pinnacle	DLS Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Plateau Like

Domain Value Name	Class Subtype	Feature Class
12: Plateau Like		Fuzzy Extent Area
12: Plateau Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Promontory Like

Domain Value Name	Class Subtype	Feature Class
19: Promontory Like		Fuzzy Extent Area
19: Promontory Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Range Like

Domain Value Name	Class Subtype	Feature Class
13: Range Like		Fuzzy Extent Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Reef

Domain Value Name	Class Subtype	Feature Class
4: Reef	4: Reef	DLS Area
4: Reef	4: Reef	DLS Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Relative Height

Domain Value Name	Class Subtype	Feature Class
Relative Height		Relative Height

Captured from original 1970s to 2000 topographic mapping.

Rock - Awash

Domain Value Name	Class Subtype	Feature Class
5: Rock - Awash	5: Rock - Awash	DLS Area
5: Rock - Awash	5: Rock - Awash	DLS Line
5: Rock - Awash	5: Rock - Awash	DLS Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Rock - Inland

Domain Value Name	Class Subtype	Feature Class
6: Rock - Inland	6: Rock - Inland	DLS Area
6: Rock - Inland	6: Rock - Inland	DLS Line
6: Rock - Inland	6: Rock - Inland	DLS Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Sand

Domain Value Name	Class Subtype	Feature Class
7: Sand	7: Sand	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Sandbar Like

Domain Value Name	Class Subtype	Feature Class
15: Sandbar Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Slope Like

Domain Value Name	Class Subtype	Feature Class
16: Slope Like		Fuzzy Extent Area
16: Slope Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Standard Contour

Domain Value Name	Class Subtype	Feature Class
1: Standard Contour	1: Standard Contour	Contour

Captured from original 1970s to 2000 topographic mapping.

Standard Spot Height

Domain Value Name	Class Subtype	Feature Class
1: Standard Spot Height	1: Standard Spot Height	Spot Height

Captured from original 1970s to 2000 topographic mapping.

Swamp - Dry

Domain Value Name	Class Subtype	Feature Class
9: Swamp - Dry	9: Swamp - Dry	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Swamp - Wet

Domain Value Name	Class Subtype	Feature Class
8: Swamp - Wet	8: Swamp - Wet	DLS Area

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Swamp Like

Domain Value Name	Class Subtype	Feature Class
17: Swamp Like		Fuzzy Extent Area
17: Swamp Like		Fuzzy Extent Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Valley Like

Domain Value Name	Class Subtype	Feature Class
18: Valley Like		Fuzzy Extent Area
18: Valley Like		Fuzzy Extent Line

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Transport

Transport data consists of features whose primary characteristics relate to transportation. For detailed metadata see the [NSW Spatial Data Catalogue](#).

Aggregated Way

Domain Value Name	Class Subtype	Feature Class
Aggregated Way		Aggregated Way

Generated from AggWaySegment. Continuously maintained.

AggWay Segment

Domain Value Name	Class Subtype	Feature Class
AggWay Segment		AggWay Segment

Generated from coincident road segments. Continuously maintained.

Airport

Domain Value Name	Class Subtype	Feature Class
1: Airport	1: Airport	Transport Facility Point

Captured from various sources including Geosciences Australia and the Civil Aviation & Safety Authority in 2012. Updated periodically.

Bus Interchange

Domain Value Name	Class Subtype	Feature Class
2: Bus Interchange	2: Bus Interchange	Transport Facility Point

Captured from various sources including Transport NSW in 2013. Updated periodically.

Cable Car

Domain Value Name	Class Subtype	Feature Class
2: Cable Car	2: Cable Car	Cableway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Cattle Grid

Domain Value Name	Class Subtype	Feature Class
2: Cattle Grid	2: Cattle Grid	Traffic Control Device

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Classified Fire Trail

Domain Value Name	Class Subtype	Feature Class
Classified Fire Trail		Classified Fire Trail

Captured from information supplied by NSW Forests, National Parks and Crown Lands between 2005 and 2010. Coincident with underlying road segment.

Continuity Line

Domain Value Name	Class Subtype	Feature Class
8: Continuity Line	8: Continuity Line	Road Segment

Captured in conjunction with other road segment data. Continuously maintained.

Dual Carriageway

Domain Value Name	Class Subtype	Feature Class
3: Dual Carriageway	3: Dual Carriageway	Road Segment

Captured in conjunction with other road segment data. Continuously maintained using latest available imagery.

Floodway

Domain Value Name	Class Subtype	Feature Class
3: Floodway	3: Floodway	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Flying Fox

Domain Value Name	Class Subtype	Feature Class
3: Flying Fox	3: Flying Fox	Cableway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Ford

Domain Value Name	Class Subtype	Feature Class
4: Ford	4: Ford	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Gate

Domain Value Name	Class Subtype	Feature Class
1: Gate	1: Gate	Traffic Control Device

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Heavy Rail

Domain Value Name	Class Subtype	Feature Class
1: Heavy Rail	1: Heavy Rail	Railway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Sydney City Rail Network updated 2014 from Sydney Trains data.

Heavy Rail Siding

Domain Value Name	Class Subtype	Feature Class
4: Heavy Rail Siding	4: Heavy Rail Siding	Railway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Sydney City Rail Network updated 2014 from Sydney Trains data.

Heavy Vehicle Check Station

Domain Value Name	Class Subtype	Feature Class
9: Heavy Vehicle Check Station	9: Heavy Vehicle Check Station	Transport Facility Point

Captured from Roads and Maritime Services data in 2013. Periodically updated.

Helipad

Domain Value Name	Class Subtype	Feature Class
3: Helipad	3: Helipad	Transport Facility Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Impediment

Domain Value Name	Class Subtype	Feature Class
4: Impediment	4: Impediment	Traffic Control Device

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Landing Ground

Domain Value Name	Class Subtype	Feature Class
1: Landing Ground		Runway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Launching Ramp

Domain Value Name	Class Subtype	Feature Class
1: Launching Ramp	1: Launching Ramp	Transport Facility Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Level Crossing

Domain Value Name	Class Subtype	Feature Class
5: Level Crossing	5: Level Crossing	Traffic Control Device

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Light Rail

Domain Value Name	Class Subtype	Feature Class
2: Light Rail	2: Light Rail	Railway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Sydney City Rail Network updated 2014 from Sydney Trains data.

Marina

Domain Value Name	Class Subtype	Feature Class
4: Marina	4: Marina	Transport Facility Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Monorail

Domain Value Name	Class Subtype	Feature Class
3: Monorail	3: Monorail	Railway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping. Updated 2014. Updated periodically.

OnOff Ramp

Domain Value Name	Class Subtype	Feature Class
2: OnOff Ramp	2: OnOff Ramp	Road Segment

Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Also periodically updated using latest available imagery.

Parking Area

Domain Value Name	Class Subtype	Feature Class
5: Parking Area	5: Parking Area	Transport Facility Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Passenger Ferry

Domain Value Name	Class Subtype	Feature Class
2: Passenger Ferry	2: Passenger Ferry	Ferry Route

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Pathway

Domain Value Name	Class Subtype	Feature Class
6: Pathway	6: Pathway	Road Segment

Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Also periodically updated using latest available imagery.

Rail Bridge

Domain Value Name	Class Subtype	Feature Class
6: Rail Bridge	6: Rail Bridge	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Sydney City Rail Network updated 2014 from Sydney Trains data.

Rail Culvert

Domain Value Name	Class Subtype	Feature Class
7: Rail Culvert	7: Rail Culvert	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Rail Tunnel

Domain Value Name	Class Subtype	Feature Class
8: Rail Tunnel	8: Rail Tunnel	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Sydney City Rail Network updated 2014 from Sydney Trains data.

Railway Station

Domain Value Name	Class Subtype	Feature Class
6: Railway Station	6: Railway Station	Transport Facility Point

Captured from original 1970s to 2000 topographic mapping and gazeteers, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from NSW Rail Corp data in 2013. Sydney City Rail Network updated 2014 from Sydney Trains data.

Road Bridge

Domain Value Name	Class Subtype	Feature Class
1: Road Bridge	1: Road Bridge	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Updated from imagery available between 2010 and present.

Road Culvert

Domain Value Name	Class Subtype	Feature Class
2: Road Culvert	2: Road Culvert	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Updated from imagery available between 2010 and present.

Road Name Extent

Domain Value Name	Class Subtype	Feature Class
Road Name Extent		Road Name Extent

Automatically generated from Road Segment. Continuously maintained.

Road Tunnel

Domain Value Name	Class Subtype	Feature Class
5: Road Tunnel	5: Road Tunnel	Crossing

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Also periodically updated using latest available imagery.

Roadside Emergency Telephone

Domain Value Name	Class Subtype	Feature Class
8: Roadside Emerg Telephone	8: Roadside Emerg Telephone	Transport Facility Point

Captured from NSW Roads and Maritime Services data in 2013. Periodically updated.

Roadside Rest Area

Domain Value Name	Class Subtype	Feature Class
7: Roadside Rest Area	7: Roadside Rest Area	Transport Facility Point

Captured from NSW Roads and Maritime Services data in 2013. Updated periodically.

Roundabout

Domain Value Name	Class Subtype	Feature Class
6: Roundabout	6: Roundabout	Traffic Control Device

Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Also periodically updated using latest available imagery.

Runway Centreline

Domain Value Name	Class Subtype	Feature Class
2: Runway Centreline		Runway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Runway Perimeter

Domain Value Name	Class Subtype	Feature Class
3: Runway Perimeter		Runway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Ski Lift

Domain Value Name	Class Subtype	Feature Class
1: Ski Lift	1: Ski Lift	Cableway

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Slipway

Domain Value Name	Class Subtype	Feature Class
2: Slipway	2: Slipway	Transport Facility Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Small Roundabout

Domain Value Name	Class Subtype	Feature Class
7: Small Roundabout	7: Small Roundabout	Traffic Control Device

Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Also periodically updated using latest available imagery.

Standard Road

Domain Value Name	Class Subtype	Feature Class
1: Standard Road	1: Standard Road	Road Segment

Updated continuously from DCDB road registrations, Roads and Maritime Services data and Council data. Also periodically updated using National Parks data, Forests NSW data and latest available imagery.

Toll Booth

Domain Value Name	Class Subtype	Feature Class
3: Toll Booth	3: Toll Booth	Traffic Control Device

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Vehicular Ferry

Domain Value Name	Class Subtype	Feature Class
1: Vehicular Ferry	1: Vehicular Ferry	Ferry Route

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Vehicular Track

Domain Value Name	Class Subtype	Feature Class
5: Vehicular Track	5: Vehicular Track	Road Segment

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Vehicular tracks on private land or roads within National Park and Forrest estates updated periodically from available information and imagery.

Wharf

Domain Value Name	Class Subtype	Feature Class
3: Wharf	3: Wharf	Transport Facility Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Sydney Ferry Wharves updated from NSW Roads and Maritime information in 2012.

Cultural

Cultural data consists of features whose primary characteristics are of a cultural (man made) origin. It comprises the built environment but generally not including transportation related features. For detailed metadata see the [NSW Spatial Data Catalogue](#).

Abattoir

Domain Value Name	Class Subtype	Feature Class
1: Abattoir	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Academy

Domain Value Name	Class Subtype	Feature Class
5: Academy	1: Education Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Ambulance

Domain Value Name	Class Subtype	Feature Class
1: Ambulance	2: Community Facility	Building Complex Point

Captured from information supplied by Ambulance NSW in 2014. Updated annually or as otherwise provided by Ambulance NSW.

Art Gallery

Domain Value Name	Class Subtype	Feature Class
2: Art Gallery	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Athletics Track

Domain Value Name	Class Subtype	Feature Class
1: Athletics Track	6: Race Track	General Cultural Line
1: Athletics Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

BMX Track

Domain Value Name	Class Subtype	Feature Class
7: BMX Track	6: Race Track	General Cultural Line
7: BMX Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Breakwater

Domain Value Name	Class Subtype	Feature Class
5: Breakwater	5: Breakwater	General Cultural Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Brickworks

Domain Value Name	Class Subtype	Feature Class
2: Brickworks	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Built Up Area

Domain Value Name	Class Subtype	Feature Class
7: Built Up Area	7: Built Up Area	General Cultural Area

Captured using latest available imagery in 2005. Continuously maintained using latest available cyclical imagery.

Camping Ground

Domain Value Name	Class Subtype	Feature Class
1: Camping Ground	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Caravan Park

Domain Value Name	Class Subtype	Feature Class
2: Caravan Park	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Catchment

Domain Value Name	Class Subtype	Feature Class
2: Catchment	3: Restricted Area	General Cultural Area
2: Catchment	3: Restricted Area	General Cultural Point

Captured from original 1970s to 2000 topographic mapping and names gazetteers.

Cemetery

Domain Value Name	Class Subtype	Feature Class
0: Cemetery	8: Cemetery	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Child Care Centre

Domain Value Name	Class Subtype	Feature Class
23: Child Care Centre	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Children's Hospital

Domain Value Name	Class Subtype	Feature Class
4: Childrens Hospital	3: Medical Facility	Building Complex Point

Captured from information supplied by the NSW Health in 2014. Updated annually or as otherwise provided by NSW Health.

Chimney Tower

Domain Value Name	Class Subtype	Feature Class
4: Chimney	7: Tower	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

City

Domain Value Name	Class Subtype	Feature Class
2: City		Place Area
2: City		Place Point

Captured from Geographic Names Register.

Club

Domain Value Name	Class Subtype	Feature Class
3: Club	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated 2013 from NSW Registered Clubs Association

Combined Primary/Secondary School

Domain Value Name	Class Subtype	Feature Class
8: Combined Primary/Secondary School	1: Education Facility	Building Complex Point

Captured from information supplied by the Department of Education and Communities, the Catholic Education Commission of NSW and the Board of Studies NSW in 2014. Updated annually or as otherwise provided by Department of Education and Communities and the Board of Studies NSW.

Communication Tower

Domain Value Name	Class Subtype	Feature Class
1: Communication	7: Tower	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Community Medical Centre

Domain Value Name	Class Subtype	Feature Class
3: Community Medical Centre	3: Medical Facility	Building Complex Point

Captured from information supplied by the NSW Health 2014. Updated annually or as otherwise provided by NSW Health.

Convent Monastery

Domain Value Name	Class Subtype	Feature Class
5: Convent Monastery	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Conveyor Belt

Domain Value Name	Class Subtype	Feature Class
1: Conveyor Belt	1: Conveyor Belt	General Cultural Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Co-operative

Domain Value Name	Class Subtype	Feature Class
3: Co-operative	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Court House

Domain Value Name	Class Subtype	Feature Class
6: Court House	2: Community Facility	Building Complex Point

Captured from information provided by the NSW Attorney General's Department in 2014. Updated annually or as otherwise provided.

Cray Fish Farm

Domain Value Name	Class Subtype	Feature Class
3: Cray Fish Farm	2: Aquaculture	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Crematorium

Domain Value Name	Class Subtype	Feature Class
2: Crematorium	8: Cemetery	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Cultural Feature Perimeter

Domain Value Name	Class Subtype	Feature Class
3: Cultural Feature Perimeter	3: Cultural Feature Perimeter	General Cultural Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Cycling Track

Domain Value Name	Class Subtype	Feature Class
3: Cycling Track	6: Race Track	General Cultural Line
3: Cycling Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Dam Batter

Domain Value Name	Class Subtype	Feature Class
10: Dam Batter	10: Dam Batter	General Cultural Area

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Defence - Restricted Area

Domain Value Name	Class Subtype	Feature Class
1: Defence	3: Restricted Area	General Cultural Area
1: Defence	3: Restricted Area	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Depot

Domain Value Name	Class Subtype	Feature Class
4: Depot	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Depot-NRMA

Domain Value Name	Class Subtype	Feature Class
5: Depot-NRMA	4: Industry Facility	Building Complex Point

Captured from limited extent topographic and road directory mapping updates between 2000 to 2010.

Dog Track

Domain Value Name	Class Subtype	Feature Class
8: Dog Track	6: Race Track	General Cultural Line
8: Dog Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Dumping Ground

Domain Value Name	Class Subtype	Feature Class
2: Dumping Ground	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Electricity Transmission Line

Domain Value Name	Class Subtype	Feature Class
1: 19.1kV		Electricity Transmission Line
2: 22kV		Electricity Transmission Line
3: 33kV		Electricity Transmission Line
4: 66kV		Electricity Transmission Line
5: 132kV		Electricity Transmission Line
6: 220kV		Electricity Transmission Line
7: 330kV		Electricity Transmission Line
8: 500kV		Electricity Transmission Line

Captured from original 1970s to 2000 topographic mapping. Updated from limited extent topographic mapping, road directory updates and utility organisation supplied data between 2000 and 2013. Updated from data supplied by Geoscience Australia 2013.

Embassy

Domain Value Name	Class Subtype	Feature Class
7: Embassy	2: Community Facility	Building Complex Point

Captured from various sources including the Department of Foreign Affairs and Trade and Geosciences Australia in 2012. Periodically updated.

Factory

Domain Value Name	Class Subtype	Feature Class
6: Factory	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Fence

Domain Value Name	Class Subtype	Feature Class
2: Fence	2: Fence	General Cultural Line

Captured from limited extent western division topographic mapping between 2000 to 2005.

Filtration Plant

Domain Value Name	Class Subtype	Feature Class
1: Filtration Plant	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Fire Station - Bush

Domain Value Name	Class Subtype	Feature Class
8: Fire Station - Bush	2: Community Facility	Building Complex Point

Captured from information supplied by Rural Fire Services NSW in 2012. Periodically updated.

Fire Station - Urban

Domain Value Name	Class Subtype	Feature Class
9: Fire Station - Urban	2: Community Facility	Building Complex Point

Captured from information supplied by Fire and Rescue NSW in 2014. Periodically updated.

Fish Farm

Domain Value Name	Class Subtype	Feature Class
2: Fish Farm	2: Aquaculture	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Forestry Plantation - Other

Domain Value Name	Class Subtype	Feature Class
3: Forestry Plantation - Other	6: Plantation	General Cultural Area

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Forestry Plantation - Pine

Domain Value Name	Class Subtype	Feature Class
1: Forestry Plantation - Pine	6: Plantation	General Cultural Area

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Gaol

Domain Value Name	Class Subtype	Feature Class
10: Gaol	2: Community Facility	Building Complex Point

Captured from information sourced from Corrective Services NSW and Geosciences Australia in 2013. Periodically updated.

Gas - Pipeline

Domain Value Name	Class Subtype	Feature Class
2: Gas		Pipeline

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Gas - Tank

Domain Value Name	Class Subtype	Feature Class
2: Gas		Tank Area
2: Gas		Tank Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Gas Facility

Domain Value Name	Class Subtype	Feature Class
2: Gas Facility	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

General Hospital

Domain Value Name	Class Subtype	Feature Class
0: General Hospital	3: Medical Facility	Building Complex Point

Captured from information supplied by the NSW Health in 2014. Updated annually or as otherwise provided by NSW Health.

Golf Course

Domain Value Name	Class Subtype	Feature Class
2: Golf Course	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Grave

Domain Value Name	Class Subtype	Feature Class
1: Grave	8: Cemetery	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

High School

Domain Value Name	Class Subtype	Feature Class
2: High School	1: Education Facility	Building Complex Point

Captured from information supplied by the Department of Education and Communities, the Catholic Education Commission of NSW and the Board of Studies NSW in 2014. Updated annually or as otherwise provided by the Department of Education and Communities and the Board of Studies NSW.

Historic Site

Domain Value Name	Class Subtype	Feature Class
3: Historic Site	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Homestead

Domain Value Name	Class Subtype	Feature Class
7: Homestead	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Horticulture - Crop

Domain Value Name	Class Subtype	Feature Class
4: Horticulture - Crop	6: Plantation	General Cultural Area

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Horticulture - Vineyard

Domain Value Name	Class Subtype	Feature Class
2: Horticulture - Vineyard	6: Plantation	General Cultural Area

Collected from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Intake Tower

Domain Value Name	Class Subtype	Feature Class
3: Intake	7: Tower	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Integrated Health Service

Domain Value Name	Class Subtype	Feature Class
5: Integrated Health Service	3: Medical Facility	Building Complex Point

Captured from information supplied by the NSW Health in 2014. Updated annually or as otherwise provided by NSW Health.

Intensive Live Stock Facility

Domain Value Name	Class Subtype	Feature Class
13: Intensive Live Stock Facility	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Library

Domain Value Name	Class Subtype	Feature Class
11: Library	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014

Lighthouse

Domain Value Name	Class Subtype	Feature Class
1: Lighthouse	12: Beacon	General Cultural Point

Captured from various sources in 2013. Updated periodically.

Local Government Chambers

Domain Value Name	Class Subtype	Feature Class
12: Local Govt Chambers	2: Community Facility	Building Complex Point

Captured from information supplied by Department of Local Government in 2014. Updated annually or as otherwise provided.

Locality

Domain Value Name	Class Subtype	Feature Class
5: Locality		Place Area
5: Locality		Place Point

Captured and continuously maintained from Geographic Names Register.

Lookout

Domain Value Name	Class Subtype	Feature Class
5: Lookout	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Mine - Underground

Domain Value Name	Class Subtype	Feature Class
11: Mine - Underground	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping NSW between 2000 to 2010. Updated from Department of Primary Industries maps in 2013.

Monument

Domain Value Name	Class Subtype	Feature Class
4: Monument	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Motor Racing Track

Domain Value Name	Class Subtype	Feature Class
2: Motor Racing Track	6: Race Track	General Cultural Line
2: Motor Racing Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Multi Purpose Service

Domain Value Name	Class Subtype	Feature Class
6: Multi Purpose Service	3: Medical Facility	Building Complex Point

Captured from information supplied by the NSW Health in 2014. Updated annually or as otherwise provided by NSW Health.

Museum

Domain Value Name	Class Subtype	Feature Class
14: Museum	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Nursing Home

Domain Value Name	Class Subtype	Feature Class
4: Nursing Home	2: Community Facility	Building Complex Point

Captured from information supplied by the Federal Department of Health and Aging in 2014. Updated biannually or as otherwise provided by Department of Health and Aging.

Observation Tower

Domain Value Name	Class Subtype	Feature Class
2: Observation	7: Tower	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Observatory

Domain Value Name	Class Subtype	Feature Class
15: Observatory	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Outdoor Theatre

Domain Value Name	Class Subtype	Feature Class
6: Outdoor Theatre	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Oyster Lease

Domain Value Name	Class Subtype	Feature Class
1: Oyster Lease	2: Aquaculture	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Park

Domain Value Name	Class Subtype	Feature Class
7: Park	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Gazetted parks updated continuously from Geographic Names Register and Local Government. Progressively updated from Local Government web sites 2014.

Petroleum - Pipeline

Domain Value Name	Class Subtype	Feature Class
3: Petroleum		Pipeline

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Petroleum - Tank

Domain Value Name	Class Subtype	Feature Class
3: Petroleum		Tank Area
3: Petroleum		Tank Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Picnic Area

Domain Value Name	Class Subtype	Feature Class
8: Picnic Area	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Place of Worship

Domain Value Name	Class Subtype	Feature Class
16: Place of Worship	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Police Station

Domain Value Name	Class Subtype	Feature Class
17: Police Station	2: Community Facility	Building Complex Point

Captured from information supplied by the NSW Police in 2014. Updated annually or as otherwise provided by NSW Police.

Post Office

Domain Value Name	Class Subtype	Feature Class
18: Post Office	2: Community Facility	Building Complex Point

Captured from information supplied by Australia Post in 2014. Updated annually or as otherwise provided by Australia Post.

Power Station - Fuel Driven

Domain Value Name	Class Subtype	Feature Class
3: Power Station - Fuel Driven	5: Utility Facility	Building Complex Point

Captured from information supplied by NSW Trade and Investment and Geosciences Australia in 2012. Updated annually or as otherwise provided by NSW Trade and Investment.

Power Station - Geo Thermal

Domain Value Name	Class Subtype	Feature Class
4: Power Station - Geo Thermal	5: Utility Facility	Building Complex Point

Captured from information supplied by NSW Trade and Investment and Geosciences Australia in 2012. Updated annually or as otherwise provided by NSW Trade and Investment.

Power Station - Hydro

Domain Value Name	Class Subtype	Feature Class
5: Power Station - Hydro	5: Utility Facility	Building Complex Point

Captured from information supplied by NSW Trade and Investment and Geosciences Australia in 2012. Updated annually or as otherwise provided by NSW Trade and Investment.

Power Station - Solar

Domain Value Name	Class Subtype	Feature Class
6: Power Station - Solar	5: Utility Facility	Building Complex Point

Captured from information supplied by NSW Trade and Investment and Geosciences Australia in 2012. Updated annually or as otherwise provided by NSW Trade and Investment.

Power Station - Wind

Domain Value Name	Class Subtype	Feature Class
7: Power Station - Wind	5: Utility Facility	Building Complex Point

Captured from information supplied by NSW Trade and Investment and Geosciences Australia in 2012. Updated annually or as otherwise provided by NSW Trade and Investment.

Pre-School

Domain Value Name	Class Subtype	Feature Class
7: Pre-School	1: Education Facility	Building Complex Point

Captured from information supplied by the Department of Education and Communities in 2014. Updated annually or as otherwise provided.

Primary School

Domain Value Name	Class Subtype	Feature Class
1: Primary School	1: Education Facility	Building Complex Point

Captured from information supplied by the Department of Education and Communities, the Catholic Education Commission of NSW and the Board of Studies NSW in 2014. Updated annually or as otherwise provided by the Department of Education and Communities and the Board of Studies NSW.

Psychiatric Hospital

Domain Value Name	Class Subtype	Feature Class
1: Psychiatric Hospital	3: Medical Facility	Building Complex Point

Captured from information supplied by the NSW Health in 2014. Updated annually or as otherwise provided by NSW Health.

Pump

Domain Value Name	Class Subtype	Feature Class
3: Pump	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Pumping Station

Domain Value Name	Class Subtype	Feature Class
8: Pumping Station	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Quarry - Open Cut

Domain Value Name	Class Subtype	Feature Class
12: Quarry - Open Cut	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Racecourse

Domain Value Name	Class Subtype	Feature Class
5: Racecourse	6: Race Track	General Cultural Line
5: Racecourse	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Region

Domain Value Name	Class Subtype	Feature Class
1: Region		Place Area
1: Region		Place Point

Captured from Geographic Names Register.

Relocatable Home Village

Domain Value Name	Class Subtype	Feature Class
22: Relocatable Home Village	2: Community Facility	Building Complex Point

Captured from information supplied by NSW Fair Trading in 2013. Updated as provided by NSW Fair Trading.

Research Station

Domain Value Name	Class Subtype	Feature Class
8: Research Station	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Retirement Village

Domain Value Name	Class Subtype	Feature Class
21: Retirement Village	2: Community Facility	Building Complex Point

Captured from information supplied by NSW Fair Trading in 2014. Updated as provided by NSW Fair Trading.

SES Facility

Domain Value Name	Class Subtype	Feature Class
19: SES Facility	2: Community Facility	Building Complex Point

Captured from information supplied by the NSW SES in 2014. Updated annually or as otherwise provided by NSW SES.

Settling Pond

Domain Value Name	Class Subtype	Feature Class
0: Settling Pond	9: Pondage	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Sewage Works

Domain Value Name	Class Subtype	Feature Class
9: Sewage Works	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Ship Wreck

Domain Value Name	Class Subtype	Feature Class
10: Ship Wreck	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Shipyard

Domain Value Name	Class Subtype	Feature Class
9: Shipyard	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Shopping Centre

Domain Value Name	Class Subtype	Feature Class
10: Shopping Centre	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Showground

Domain Value Name	Class Subtype	Feature Class
11: Showground	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Silo - Commercial

Domain Value Name	Class Subtype	Feature Class
5: Silo - Commercial	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Silo - Farm

Domain Value Name	Class Subtype	Feature Class
4: Silo - Farm	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Special School

Domain Value Name	Class Subtype	Feature Class
6: Special School	1: Education Facility	Building Complex Point

Captured from information supplied by the Department of Education and Communities, the Catholic Education Commission of NSW and the Board of Studies NSW in 2014. Updated annually or as otherwise provided by the Department of Education and Communities and the Board of Studies NSW.

Spillway Edge

Domain Value Name	Class Subtype	Feature Class
7: Spillway Edge	7: Spillway Edge	General Cultural Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Sports Centre

Domain Value Name	Class Subtype	Feature Class
12: Sports Centre	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Sports Court

Domain Value Name	Class Subtype	Feature Class
12: Sports Court	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Sports Field

Domain Value Name	Class Subtype	Feature Class
13: Sports Field	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Stock Saleyard

Domain Value Name	Class Subtype	Feature Class
6: Stock Saleyard	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Sub Station

Domain Value Name	Class Subtype	Feature Class
10: Sub Station	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Suburb

Domain Value Name	Class Subtype	Feature Class
6: Suburb		Place Area
6: Suburb		Place Point

Captured and continuously maintained from Geographic Names Register and DCDB Suburbs data.

Submarine Cable Protect Zone

Domain Value Name	Class Subtype	Feature Class
3:Submarine Cable Protect Zone	3: Restricted Area	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Swimming Pool - Domestic

Domain Value Name	Class Subtype	Feature Class
3: Swimming Pool - Domestic	9: Pondage	General Cultural Area
3: Swimming Pool - Domestic	9: Pondage	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Swimming Pool - Public Or Commercial

Domain Value Name	Class Subtype	Feature Class
2: Swimming Pool - Public Or Commercial	9: Pondage	General Cultural Area
2: Swimming Pool - Public Or Commercial	9: Pondage	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Swimming Pool Facility

Domain Value Name	Class Subtype	Feature Class
15: Swimming Pool Facility	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Target Range

Domain Value Name	Class Subtype	Feature Class
14: Target Range	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Technical College

Domain Value Name	Class Subtype	Feature Class
3: Technical College	1: Education Facility	Building Complex Point

Captured from information supplied by NSW TAFE in 2014. Updated annually or as supplied by NSW TAFE.

Telephone Exchange

Domain Value Name	Class Subtype	Feature Class
7: Telephone Exchange	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Tourist Attraction

Domain Value Name	Class Subtype	Feature Class
17: Tourist Attraction	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Progressively updated from Local Government web sites 2014.

Tourist Information Centre

Domain Value Name	Class Subtype	Feature Class
20: Tourist Information Centre	2: Community Facility	Building Complex Point

Captured from information supplied by NSW Tourism in 2014. Updated annually or as supplied by NSW Tourism.

Town

Domain Value Name	Class Subtype	Feature Class
3: Town		Place Area
3: Town		Place Point

Captured from Geographic Names Register.

Training Track

Domain Value Name	Class Subtype	Feature Class
6: Training Track	6: Race Track	General Cultural Line
6: Training Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Transmission Station

Domain Value Name	Class Subtype	Feature Class
11: Transmission Station	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping. Updated from limited extent topographic mapping, road directory updates and utility organisation supplied data between 2000 and 2013. Updated from data supplied by Geoscience Australia 2013.

Trotting Track

Domain Value Name	Class Subtype	Feature Class
4: Trotting Track	6: Race Track	General Cultural Line
4: Trotting Track	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Undefined - Education Facility

Domain Value Name	Class Subtype	Feature Class
0: Undefined	1: Education Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - General Recreation Point

Domain Value Name	Class Subtype	Feature Class
0: Undefined	1: General Recreation Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Aquaculture

Domain Value Name	Class Subtype	Feature Class
0: Undefined	2: Aquaculture	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Community Facility

Domain Value Name	Class Subtype	Feature Class
0: Undefined	2: Community Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Restricted Area

Domain Value Name	Class Subtype	Feature Class
0: Undefined	3: Restricted Area	General Cultural Area
0: Undefined	3: Restricted Area	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - General Industry Point

Domain Value Name	Class Subtype	Feature Class
0: Undefined	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Industry Facility

Domain Value Name	Class Subtype	Feature Class
0: Undefined	4: Industry Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Building

Domain Value Name	Class Subtype	Feature Class
0: Undefined	5: Building	General Cultural Area
0: Undefined	5: Building	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Undefined - Utility Facility

Domain Value Name	Class Subtype	Feature Class
0: Undefined	5: Utility Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Race Track

Domain Value Name	Class Subtype	Feature Class
0: Undefined	6: Race Track	General Cultural Line
0: Undefined	6: Race Track	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Undefined - Recreation Facility

Domain Value Name	Class Subtype	Feature Class
0: Undefined	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Tower

Domain Value Name	Class Subtype	Feature Class
0: Undefined	7: Tower	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Electricity Transmission Line

Domain Value Name	Class Subtype	Feature Class
0: Undefined		Electricity Transmission Line

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Pipeline

Domain Value Name	Class Subtype	Feature Class
0: Undefined		Pipeline

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Undefined - Tank

Domain Value Name	Class Subtype	Feature Class
0: Undefined		Tank Area
0: Undefined		Tank Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

University

Domain Value Name	Class Subtype	Feature Class
4: University	1: Education Facility	Building Complex Point

Captured from various sources in 2014. Updated annually or as otherwise provided.

Utility Water Supply Canal

Domain Value Name	Class Subtype	Feature Class
Utility Water Supply Canal		Utility Water Supply Canal

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Village

Domain Value Name	Class Subtype	Feature Class
4: Village		Place Area
4: Village		Place Point

Captured from Geographic Names Register

Waste - Pipeline

Domain Value Name	Class Subtype	Feature Class
4: Waste		Pipeline

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Waste - Tank

Domain Value Name	Class Subtype	Feature Class
4: Waste		Tank Area
4: Waste		Tank Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Water - Pipeline

Domain Value Name	Class Subtype	Feature Class
1: Water		Pipeline

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Water - Tank

Domain Value Name	Class Subtype	Feature Class
1: Water		Tank Point
1: Water		Tank Area

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Water Filtration Bed

Domain Value Name	Class Subtype	Feature Class
1: Water Filtration Bed	9: Pondage	General Cultural Area
1: Water Filtration Bed	9: Pondage	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present. Progressively updated from Local Government web sites 2014.

Wind Generator Tower

Domain Value Name	Class Subtype	Feature Class
5: Wind Generator	7: Tower	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010. Updated from imagery available between 2010 and present.

Wind Pump

Domain Value Name	Class Subtype	Feature Class
8: Wind Pump	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Yard - Rural

Domain Value Name	Class Subtype	Feature Class
9: Yard - Rural	4: General Industry Point	General Cultural Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Zoo

Domain Value Name	Class Subtype	Feature Class
18: Zoo	6: Recreation Facility	Building Complex Point

Captured from original 1970s to 2000 topographic mapping, and from limited extent topographic and road directory mapping updates between 2000 to 2010.

Further information

For further information please contact:

Spatial Data Services

E: SDS@lpi.nsw.gov.au

T: 02 6332 8287



Land and Property Information

1 Prince Albert Road
Sydney NSW 2000

GPO Box 15
Sydney NSW 2001
T: 1300 052 637
T: + 61 2 9228 6666
www.lpi.nsw.gov.au