


MEASUREMENT REPORT COFFS HARBOUR EDM BASELINE




Coffs

Harbour

Airport

(Access Prohibited)



Authorised Access Only - For baseline booking & to obtain security code to padlock: www.six.nsw.gov.au/edmbooking
(3/8" Allen key required to remove pillar caps)

HORIZONTAL DISTANCES (metres) at datum 4.990m AHD

From	To	Distance	Mark	R.L. (AHD) *
PM 90601	PM 90602	18.0035	PM 90601	7.191
PM 90601	PM 90603	144.3931	PM 90602	7.030
PM 90601	PM 90604	379.1294	PM 90603	6.439
PM 90601	PM 90605	668.0302	PM 90604	5.622
PM 90601	PM 90606	848.6472	PM 90605	5.079
PM 90601	PM 90607	920.9360	PM 90606	4.990
			PM 90607	6.273

*The Reduced Levels (metres) were determined at this date and are on an approximate AHD datum. These height measurements are outside the NATA Scope of Accreditation.

Method of verification: Surveyor-General procedure VA-QMS-01

Reference instrument used : Leica TS 30, Serial No. 360783
Verified in accordance with Regulation 13 of the National Measurement Regulations 1999.

Uncertainty of distances: $\pm (0.6 + 1.3 \times 10^{-3}L)$ mm, L= length in metres
This uncertainty is calculated in accordance with the principles of the ISO Guide to the Expression of Uncertainty in Measurement, with an interval estimated to have a confidence level of 95% and a coverage factor of 2. The uncertainty applies at the time of measurement only and takes no account of pillar movement that may occur after the date of verification.



Accredited for compliance with ISO/IEC 17025 - Calibration
All equipment used is calibrated by NATA accredited laboratories, and the measurements included in this document are traceable to SI units. This document shall not be reproduced, except in full.

NATA Accredited Laboratory Number: 14965

R K Lock date: 18/04/23
Senior Surveyor
(Legal Metrology Officer)
for the Surveyor-General of NSW
Date of Verification: 2 March 2023